



The Nova Series

TASKalfa MZ10500i & MZ9500ci Series

- + A3 Color or Black and White copy, print, scan, and optional fax in one device
- + Print speeds up to 105 ppm Black and White and 80 ppm Color
- + AI-enabled DSDP up to 300 ipm with straight path capability
- + Up to 2400 x 2400 DPI with integrated ICC profiles
- + Dual toner container system for uninterrupted printing



The Nova Series delivers professional results for complex print and scan jobs. Featuring advanced workflow capabilities, dependable performance, and consistent color output, these devices enhance operational efficiency and cost management.

Consistency that benefits the bottom line

Deliver stable output with built-in ICC color profiles and automatic calibration technology, supporting long runs and minimizing reprints.

Smarter workflow integration

Fiery® and the Kyocera Production Print Suite (KPPS) make handling large print runs simple, ensuring color accuracy, easy job management, and reduced costs.

Efficiency that supports sustainability

Empower users to operate responsibly through actionable CO2 and energy-use insights paired with sustainable toner-control technology.

Sharper, clearer color

Advanced toner formulation and ceramic-based image processing technology work together to deliver bright, vivid prints with exceptional clarity.

Strong protection for sensitive work

Advanced security keeps information safe throughout capture, routing, and output.

Uninterrupted print to reduce downtime


Industry-first dual toner container system and high paper capacity keep moving, reducing downtime.

Color or Black and White	Brand/Family TASKalfa	Product Type M = MFP	Product Format Z = A3	Black and White Print Speed (ppm)	Color Print Speed (ppm)	Version	Functionalties/ Identifier (c) Color (i) HyPAS-enabled
Color	TASKalfa	M	Z	75/85/95	70/75/80	00	ci
Black and White	TASKalfa	M	Z	75/85/95/105	-	00	i

Product Configuration: Nova Series at a Glance

Black and White Devices Color Devices

TASKalfa MZ10500i TASKalfa MZ9500ci
 TASKalfa MZ9500i TASKalfa MZ8500ci
 TASKalfa MZ8500i TASKalfa MZ7500ci
 TASKalfa MZ7500i



UG-43/44/45/46/47 (Speed license)

Banner Guide 12 **Printing System 18***

Printing System Interface Kit 18*

Variable Designer

Color Management*

Dashboard

Kyocera Production Print Suite

FAX System 14 **Internet FAX Kit (A)**

IB-37/38/53/54/55 **UG-33/34**

W2000-20-120 **Card Authentication Kit (B)**

DT-730 (B) **Keyboard Holder 10**

NK-7130 (B) **HD-16**

 New items
 Existing items
 *Options for color machine only
 **IS-7200 & MT-7200 cannot be used together.

Configure your Nova Series device!


For more details on how to configure your device to match the needs of your office, navigate to our product configurator. The tool aims to pair you to the device configuration* that fits your specific business needs.

Scan or click the QR codes on this page to discover the solutions for you.




Integration with Kyocera solutions


Features		KCC	KCPS	KCIM	DMConnect	PinPoint Scan 3
Document Capture	Capture, classify, process, and route documents to on-prem/cloud storage, DMS, ECM, and ECM	●			●	●
Connect to Cloud Storage	Not only send scanned documents but process them before sending to cloud storage	●	●			
Document Management	A DMS includes features such as version control, document indexing, search, and secure access control to enhance security and productivity.			●		
Print Management	Streamline and optimize printing activities by managing print jobs, controlling costs, tracking output, and enhancing security.		●			




Kyocera Cloud Capture (KCC)




Kyocera Cloud Print and Scan (KCPS)



Kyocera Cloud Information Manager (KCIM)



DMConnect



PinPoint Scan

*Kyocera Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

MAIN UNIT

Type:

MZ7500i: 75ppm Black and White
MZ8500i: 85ppm Black and White
MZ9500i: 95ppm Black and White
MZ10500i: 105ppm Black and White

MZ7500ci: 75ppm/70ppm Color
MZ8500ci: 85ppm/75ppm Color
MZ9500ci: 95ppm/80ppm Color

Functions: Standard: Print, Copy, Scan;
 Optional: Fax

Control Panel: 10.1" Color Touch Screen

Memory: **MZ7500i/MZ8500i/MZ9500i/**
MZ10500i: 7 GB

MZ7500ci/MZ8500ci/MZ9500ci: 9 GB

Solid State Drive/Hard Disk Drive: Standard:
 256 GB SSD; Optional: 1 TB HDD

Interface Connection: Network: 1000Base-
 T/100BaseTx/10BASE-T (IPv6, IPv4, IPSec)
 Supporting 802.3az; Other Standard: USB 2.0
 (Hi-Speed USB), USB 3.0 (Super-Speed USB)

Paper Capacity: Standard: 4,350 Sheets;
 Maximum: 7,550 Sheets

Paper Sources: Standard: (2) 550-Sheet Trays,
 (2) 1,500-Sheet Decks, (1) 250-Sheet MPT;
 Optional: (1) 3,000-Sheet Large Capacity A4
 Side Deck, (1) 3,200-Sheet Large Capacity A3
 Side Deck

Finishing Capabilities: 4,000 Sheets Finisher
 (65-Sheet Staple), 4,000 Sheets Finisher
 (100-Sheet Staple), 2 to 4 Hole Punch, Booklet
 Unit, Z-Fold Unit, Inserter Unit, 7-Bin Mailbox
 Unit (Mailbox and inserter cannot be installed
 at the same time)

Supported Media Types: Plain, Recycled,
 Coated, Thick, Thin, Label, OHP transparency
 film, Index tab divider, Envelope, Banner

Supported Media Sizes: 5.5" x 8.5" to 13" x
 19.2"; Banner Size up to 13" x 48"

Paper Weight: 14 lb. Bond – 170 lb. Index
 (52 - 300 gsm)

Print Speed (Black and White and Color):

MZ7500ci: Up to 75ppm Black and White
 /70ppm Color Letter, 45ppm Black and White
 /42ppm Color Legal, 37ppm Black and
 White/35ppm Color Ledger, 26ppm Black and
 White/24ppm Color 13"x19.2"

MZ8500ci: Up to 85ppm Black and White
 /75ppm Color Letter, 51ppm Black and White
 /45ppm Color Legal, 42ppm Black and White
 /37ppm Color Ledger, 29ppm Black and White
 /26ppm Color 13"x19.2"

MZ9500ci: Up to 95ppm Black and White
 /80ppm Color Letter, 57ppm Black and White
 /48ppm Color Legal, 47ppm Black and White
 /40ppm Color Ledger, 33ppm Black and White
 /28ppm Color 13"x19.2"

Print Speed (Black and White):

MZ7500i: Up to 75ppm Letter, 45ppm Legal,
 37ppm Ledger and 26ppm 13" x 19.2"

MZ8500i: Up to 85ppm Letter, 51ppm Legal,
 42ppm Ledger and 29ppm 13" x 19.2"

MZ9500i: Up to 95ppm Letter, 57ppm Legal,
 47ppm Ledger and 33ppm 13" x 19.2"

MZ10500i: Up to 105ppm Letter, 63ppm Legal,
 52ppm Ledger and 36ppm 13" x 19.2"

Warm Up Time:

MZ7500ci, MZ7500i, MZ8500i, MZ9500i:
 30 sec or less

MZ8500ci: 45 sec or less

MZ10500i: 50 sec or less

MZ9500ci: 60 sec or less

Dimensions (W x D x H): Approximately 27.0"
 x 26.0" x 48.3" (686mm x 660mm x 1,227mm)
 for all models

Weight:

MZ7500ci, MZ8500ci, MZ9500ci:

363.8 lbs (165 kg);

MZ7500i, MZ8500i, MZ9500i, MZ10500i:

335.1 lbs (152 kg)

PRINT SPECIFICATIONS

Print Resolution:

MZ7500i/MZ8500i/MZ9500i/MZ10500i:

Up to 1200 x 1200 dpi

MZ7500ci/MZ8500ci/MZ9500ci:

Up to 2400 x 2400 dpi

PDLs/Emulations:

MZ7500ci, MZ8500ci, MZ9500i:

PCL6 (PCL XL/PCL 5c);

MZ7500i, MZ8500i, MZ9500i, MZ10500i:

PCL6 (PCL XL/PCL 5e);

PRESCRIBE, KPDL3 (PostScript3 compatible)

AES Support, PDF, XPS/OpenXPS, PPML

Image Formats: TIFF, JPEG, URF, PWG Raster,
 PCLm

Mobile Devices & Cloud Ready Printing:

Apple AirPrint®, Mopria®, KYOCERA Mobile
 Print, KYOCERA MyPanel, KYOCERA Print
 Service Plug-in

Fonts: 93 Fonts (PCL6), 136 Fonts (KPDL3), 4
 Fonts (Calibri), 4 Fonts (Cambria), 1 Font Bitmap
 font, 79 Outline fonts

Operating Systems: Windows: 10/11; Server
 2016/Server 2019/Server 2022/Server 2025;
 Mac OS X v10.0 or later; Chrome OS

COPY SPECIFICATIONS

First Copy Out Time:

3.7 seconds or less (Black and White)

5.0 seconds or less (Color)

Copy Resolution: 600 dpi x 600 dpi

Continuous Copy: Up to 1,001 as standard,
 up to 9,999 with HDD installed

Magnification (Manual Mode): 25% to 400%,
 1% increments

SCAN SPECIFICATIONS

Scan Type: Color and Black and White Scanner
Document Processor: 500-Sheet Standard Dual
 Scan Document Processor with Straight Path
 Scanning

Original Size: Up to 11" x 17"

File Formats: TIFF (MMR compression), JPEG,
 XPS, OpenXPS, PDF (MMR compression), PDF
 (JPEG compression), PDF (High compression),
 Searchable PDF, MS Office file"

Document Processor Speed: Simplex: 150 ipm,
 Duplex: 300 ipm)

Cloud Ready Services: Kyocera Cloud Capture
 (KCC), Kyocera Cloud Information Manager
 (KCIM), Kyocera Cloud Print and Scan (KCPS)

Resolution: Up to 1200 x 1200 dpi

Cloud Ready Services: Kyocera Cloud Capture
 (KCC), Kyocera Cloud Information Manager
 (KCIM), Kyocera Cloud Print and Scan (KCPS)

Resolution: Platen Glass: 600 dpi x 600 dpi,
 Document Processor: 600 dpi x 600 dpi /
 600 dpi x 300 dpi

Drivers: TWAIN/WIA/WSD Scan

OPTIONAL FAX SPECIFICATIONS

ModFax Type: Fax System 14 (option)

Modem Speed: G3: 33.6kbps

Compression Method: G3 Fax/MMR, MR, MH,
 JBIG

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Transmission Time: Less than 3 seconds/33.6
 Kbps

Fax Functions: Network Fax, Duplex
 Transmission and Reception, Encrypted
 Transmission and Reception, Polling
 Transmission and Reception, Broadcast, Fax
 Server Integration, Fax Dedicated Paper Feed
 Tray, Fax Forwarding to email or file

SECURITY SPECIFICATIONS

Guarded Access: LDAP, IP Filtering, Secure
 Print Release, SMTP Authentication, Create
 Encrypted PDF, Card Authentication

Protected Data Storage: HDD Overwrite,
 Trusted Platform Module, IEC-15408 Common
 Criteria, IEEE 2600 Certified, HCD-PP Certified

Secure Communication: TLS v1.3, SMB 3.1.1,
 HTTPS, ECDSA, FIPS 140-3 Encryption, S/
 MIME, IPSec with HCD-PP, IPPS Printing (Over
 TLS), SCEP Certificated Enrollment, OSCP/CRL
 Certificates, 802.1X Ethernet Certificates

Advanced Management: 3 Preset Security
 Level Configurations, Remote Management
 of Fleet, SNMP v3 Monitoring, SIEM/Syslog
 Monitoring, Secure Boot Check, Run Time
 Integrity Checks, Allow List

TASKalfa MZ10500i & MZ9500ci Series

ENVIRONMENTAL SPECIFICATIONS

Operating Environment: Temperature: 50 F - 90.5 F (10 - 32.5°C); Humidity: 10 - 80% RH (Relative Humidity)
Power Requirements: 120V: 60Hz, 18.5A; 220-240V, 50/60Hz, 10A; Sleep Mode: 0.5W
Power Consumption: All other models: 120V, 60Hz, 12A, 1650W; 220-240V, 50/60Hz, 7.2A, 1750W
Sleep Mode: Color MFPs: 0.5W, Black and White MFPs: 0.4W
Standard: Energy Star Certified
Typical Electricity Consumption (TEC) Rating:
MZ7500ci: 1.50 kWh/week (120V); 1.45 kWh/week (220-240V)

MZ8500ci: 1.76 kWh/week (120V); 1.62 kWh/week (220-240V)
MZ9500ci: 1.91 kWh/week (120V); 1.79 kWh/week (220-240V)
MZ7500i: 1.39 kWh/week (120V); 1.34 kWh/week (220-240V)
MZ8500i: 1.55 kWh/week (120V); 1.51 kWh/week (220-240V)
MZ9500i: 1.75 kWh/week (120V); 1.74 kWh/week (220-240V)
MZ10500i: 1.95 kWh/week (120V); 2.02 kWh/week (220-240V)

CONSUMABLES

Toner: MZ7500i, MZ8500i, MZ9500i & MZ10500i: TK-6837
MZ7500ci, MZ8500ci & MZ9500ci: TK-8837 C/M/Y/K
Black and White MFPs:
 Toner Capacity: 40,000 Pages - (1) TK-6837
 Machine Capacity: 80,000 Pages - (2) TK-6837
Color MFPs:
 Black Toner Capacity: 42,500 Pages - (1) TK-8837K; Black Machine Capacity: 85,000 Pages - (2) TK-8837K; Color Toner Capacity: 24,000 Pages - (1) TK-8837C/M/Y; Color Machine Capacity: 48,000 Pages - (2) TK-8837C/M/Y

*Color is estimated at 5% coverage.
 Black and White is estimated at 6% coverage.

Black and White

TASKalfa MZ7500i

🕒 75 ppm



TASKalfa MZ8500i

🕒 85 ppm



TASKalfa MZ9500i

🕒 95 ppm



TASKalfa MZ10500i

🕒 105 ppm



Color

TASKalfa MZ7500ci

🕒 75 ppm Black and White
 70 ppm Color



TASKalfa MZ8500ci

🕒 85 ppm Black and White
 75 ppm Color



TASKalfa MZ9500ci

🕒 95 ppm Black and White
 80 ppm Color



Meet the Nova Series here:



kyoceradocumentsolutions.us/nova